



HX-120D
OTDR



DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS
www.chrissamcol.com

HX-120D OTDR



NOVEL APPEARANCE

EASY TO USE

HIGH QUALITY DURABILITY

TOUCH SCREEN



Product Description



PRODUCT DESCRIPTION

OTDR of HX-120D series with advantages such as high precision fast response easy operation is primarily used for laying and maintenance optical fiber touch screen is used and multi-points touch is supported in this instrument of which touch .

[BUY NOW](#)

DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS
www.chrissamcol.com

Model Item	HX-120D OTDR
Wavelength	850/1300 1310/1550 1310/1490/1550/1625nm
Events blind area (m) ³	≤0.8m
Attenuation blind area(m) ³	≤4m
Distance range (m)	1-360m
Storage capacity	more than 10,000
Sampling spot	160K

HX-120D OTDR



7" TOUCHSCREEN

SD card storage capacity easy operation

LARGE CAPACITY BATTERY GUARANTEE LONG WORKING



VS





SEAL DESIGN INCREASES BATTERY SAFETY CONDITIONS.

MEET THE DEMAND OF FTTX TEST

Variety of wavelengths for uses option



DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS
www.chrissamcol.com

DUST-PROOF AND SHOCK-PROOF DESIGNING



SMALL SIZE DESIGN, EASY TO CARRY, MORE CONVENIENT TO USE.



DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS
www.chrissamcol.com