



# HX-80D OTDR



NOVEL APPEARANCE



EASY TO USE



HIGH QUALITY DURABILITY



TOUCH SCREEN



## PRODUCT DESCRIPTION



### PRODUCT DESCRIPTION



OTDR of HX-80D series with advantages such as high precision fast response easy operation is primarily used for laying and maintenance optical fiber touch screen is used and multi-points touch is supported in this instrument of which touch screen operating mode is the most current currently HX-80D OTDR is operated easily and conveniently with high effectiveness and fast operation during field test. Besides HX-80D OTDR is equipped with brand new software algorithm and industrial-grade CPU of large memory thus to ensure the results measured accurately and stably.

[BUY NOW](#)

Model Item	HX-80D OTDR
Wavelength	1310/1550 nm
Events blind area (m) <sup>3</sup>	≤1
Attenuation blind area(m) <sup>3</sup>	≤5
Distance range (m)	1-260m
Storage capacity	more than 10,000
Sampling spot	110K

# HX-80D OTDR



**4.3 INCH TOUCHSCREEN**

SD card storage capacity easy operation

**LARGE CAPACITY BATTERY GUARANTEE LONG WORKING**



**VS**





**SEAL DESIGN INCREASES BATTERY SAFETY CONDITIONS.**

## MEET THE DEMAND OF FTTH TEST

Variety of wavelengths for uses option



DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS  
[www.chrissamcol.com](http://www.chrissamcol.com)

## DUST-PROOF AND SHOCK-PROOF DESIGNING



DUST-PROOF



FALL-PROOF

SMALL SIZE DESIGN, EASY TO CARRY, MORE CONVENIENT TO USE.



DISTRUBTED BY CHRISSAM IMPORT DE COLOMBIA SAS  
[www.chrissamcol.com](http://www.chrissamcol.com)